



Príslušenstvo – úpravne vody Garant

Technické údaje:

Kód:	Názov:	Napojenie	Tlak vody *MPa	Teplota °C	max. prietok m ³ /h
	Filtre (telo, konzola, kľúč):				
FH-ATL0534	Filter 5" bez vložky	¾"	0,6	2 až 45	1,5
FH-AQA1012	Filter 10" bez vložky	½"	0,6	2 až 45	1
FH-AQA1034	Filter 10" bez vložky	¾"	0,6	2 až 45	1,5
FH-AQA1010	Filter 10" bez vložky	1"	0,6	2 až 45	2
FH-ATL-WR	Kľúč filtra ATL				
FH-ATL-BR	Plast. konzola filtra ATL				
FH-AQA-WR	Kľúč filtra AQA				
FH-AQA-BR	Plast. konzola filtra AQA				
FH20B1	Filter BigBlue 20" bez vložky	1"	0,6	2 až 45	3
FXWR1BB	Kľúč filtra BigBlue				
FXBRBB	Kovová konzola filtra BigBlue				
	Vložky filtrov:				
FCNTC-05	Vložka filtra 5" (100 µm)				
FCNTC-10	Vložka filtra 10" (100 µm)				
FCPPS-1001	Vložka filtra 10" (1 µm)				
FCPPS-1005	Vložka filtra 10" (5 µm)				
FCPPS-20B20	Vložka filtra 20" (20 µm)				
FCPPS-20B50	Vložka filtra 20" (50 µm)				
FCCTO-10	Vložka filtra s aktív.uhlím 10"				
FC-10005	Vložka filtra keramic.0,5µm 10"				
FR-34	Filter s odkalením (75µm)	¾"	1,0	4 až 30	2
NW-FB408	Filter s odkalením (25µm)	2"	1,6	2 až 45	20
NW-FB410	Filter s odkalením (25µm)	3"	1,6	2 až 45	30
NW-FB	Sada vložiek pre filter NW-FB				Sada 5 ks vložiek (25 µm alebo 100 µm)

Kód:	Názov:	Napojenie	Tlak vody *MPa	Teplota °C	max. prietok m ³ /h
	Inštaláčn� pr�slušenstvo:				
RX-F70A-1	Mont�zn� blok Plast	1"	0,6	2 a� 40	2,5
AZ12-500	AZ nerez. hadica 500 mm	1/2"	1,0	2 a� 200	
AZ12-1000	AZ nerez. hadica 1000 mm	1/2"	1,0	2 a� 200	
AZ34-500	AZ nerez. hadica 500 mm	3/4"	1,0	2 a� 200	
AZ34-1000	AZ nerez. hadica 1000 mm	3/4"	1,0	2 a� 200	
AZ1-500	AZ nerez. hadica 500 mm	1"	1,0	2 a� 200	
AZ1-1000	AZ nerez. hadica 1000 mm	1"	1,0	2 a� 200	
AZ54-500	AZ nerez. hadica 500 mm	5/4"	1,0	2 a� 200	
AZ54-1000	AZ nerez. hadica 1000 mm	5/4"	1,0	2 a� 200	
	Meranie vody:				
DUKE-T	Sada na meranie tvrdosti vody				
T1, T2, T3	N�hradn� �inidl� DUKE				
Sk�mavka	N�hradn� sk�mavka DUKE				
Digi-pH	Ru�n� digit�ln� pr�stroj na meranie pH vody				
Digi-mS	Ru�n� digit�ln� pr�stroj na meranie vodivosti vody				
HI 721	Ru�n� kolorimeter Fe 0-5 mg/l				
HI 721-25	Reagenty Fe pre HI 721 (25 ks)				
HI 701	Ru�n� kolorimeter voľn� chl�r Cl ₂ ⁻ 0-2,5 mg/l				
HI 701-25	Reagenty Cl ₂ ⁻ pre HI 701 (25 ks)				
Sulfit test	100 ks pr��zkov na meranie prebytku sulfitov vo vode				
	Spotrebn� tovar:				
Tabletov� soľ	Regenera�n� soľ (25 kg)				
KMnO₄	Manganistan draseln� (1 kg)				

pozn mky:

- * limitn  hodnoty max. tlaku vody na vstupe bez hydraulick ch r zov. Max.prietok je z visl  od tlaku vody.



Filter ATL 5"



Filter AQA 10"



Filter BigBlue 20"



Vlo ka filtra FCNTC



Vlo ka filtra FCPPS



Filter FR-34



Kľu k filtra (ATL, AQA, BigBlue)



Plast.konzola filtra AQA



AZ nerezov  hadica



Montážny blok Plast



Montážny blok Oventrop



DUKE-T



Tabletová soľ



Ručný kolorimeter HI...

Platné od: 16.04.2014